



QUALITY DRIVEN | WORLD SHARING

# HOMOGENEOUS ROLL

RESPONSIBLE ONE-STOP BUILDING MATERIAL PROVIDER



- Durability
- Easy Maintenance
- Aesthetic Appeal

**QUALITY DRIVEN | WORLD SHARING**

# **HOMOGENEOUS ROLL**

**UNIFYING STYLE, ELEVATING SPACES WITH ONE COHESIVE LOOK**

HOMOGENEOUS ROLL is a unique and innovative product that combines advanced technology and practical design to bring users unprecedented convenience and excellent performance. Whether in daily life or professional fields, it can show extraordinary charm and meet diverse needs.



### **WATERPROOF AND ANTI-SKID**

Direct isolation of water flow

.....



### **EASY TO CLEAN**

Clear concave and convex three - dimensional lines on the surface

.....



### **0 FORMALDEHYDE**

Formaldehyde is lower than the national standard customized for environmental protection

.....



### **FIRE RETARDANT**

The floor leather will not burn, and the building materials for home and office pay attention to safety

.....

**NON DIRECTIONAL HOMOGENEOUS AND TRANSPARENT  
COMMERCIAL COILED MATERIAL FLOORING HAS BETTER QUALITY**



○ Durability

○ Easy Maintenance

○ Aesthetic Appeal



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

# HOMOGENEOUS FLOOR

## PRODUCT STRUCTURE

it is not easy to maintain a world-class level and become a sustainable enterprise, but it is not difficult to achieve, In the past ten years of development, we have always been the leader in the fields of new product R&D process improvement and environment-friendly flooring manufacturing and application, and achieved the goal of sustainable development.



## EXCELLENT QUALITY ASSURANCE

### EASY INSTALLATION

It can be installed by one person



### ENVIRONMENT

Conform to national environmental protection standards



### NOISE REDUCTION

It has sound absorption performance and good noise reduction effect



### EASY TO CLEAN

It can be cleaned with a light wipe



### DOUBLE SIDED WATERPROOF

PVC waterproof layer on the surface is moisture - proof and anti - skid



### THICKENED WEAR - RESISTANT

Upgraded thickness up to 2.0T





## PRODUCT PARAMETERS

.....

Product Name: Homogeneous Roll

Product specification: 2.0mm\*2m\*20m

Wear resistance grade: P/T

Floor structure: undirected homogeneous penetrating floor

Applicable occasions: household / commercial / warehouse

Floor advantages: thickened / wear - resistant / waterproof / fireproof / moisture - proof / noise reduction



## APPLICATION OF PRODUCTS



SCHOOL



HOSPITAL



OFFICE



CONFERENCE ROOM



# HIGH QUALITY RAW MATERIALS

In addition to its own environmental protection attribute,  
PeV coiled material flooring has also played a great role in protecting nature,  
and has generally replaced wood flooring in Europe and America



● Realistic color and exposure to the forest



● Environment friendly and healthy, ready to use



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

(2102)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

(2104)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm






- Durability
- Easy Maintenance
- Aesthetic Appeal


**2111**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm


## HOMOGENEOUS SERIES



2102



2104




2110



2111



2114



2116



2119



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(3250)**

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(3252)**

Homogeneous Roll


**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm




# HOMOGENEOUS SERIES

- Durability
- Easy Maintenance
- Aesthetic Appeal




3250



3252



3258



3263



3278

3258

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

(6101)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance


(6102)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm






- Durability
- Easy Maintenance
- Aesthetic Appeal

**6106**  
dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm

## HOMOGENEOUS SERIES





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

(8305)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

(8306)

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm



# HOMOGENEOUS SERIES

- Durability
- Easy Maintenance
- Aesthetic Appeal



**8324**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm




**8305**



**8306**




**8324**



**8330**



**8354**



**8360**



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(16012)**

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(16005)**

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm







- Durability
- Easy Maintenance
- Aesthetic Appeal

**16001**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm

## HOMOGENEOUS SERIES





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(31001)**

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm





Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(31011)**

Homogeneous Roll

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm



# HOMOGENEOUS SERIES


- Durability
- Easy Maintenance
- Aesthetic Appeal



**31004**  
dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm




**31001**



**31004**



**31008**



**31011**



**31015**



Superior Wear Resistance  
Long - Lasting Performance  
Uniform Appearance

**(ESD86-19)**

CONDUCTIVE SERIE

**DURABLE SEAMLESS  
AND EVERLASTING**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm









- Durability
- Easy Maintenance
- Aesthetic Appeal

**ESD86-12**

dimension: 2\*20m/2\*15m  
thickness: 2.0mm, 2.5mm, 3.0mm

## CONDUCTIVE SERIES






## DURABLE SEAMLESS AND EVERLASTING

- 
- 



### PVC FLOORING WELDING ROD \*

Material: PVC                      Color: Customized  
 Diameter: 4mm                  Package Type: Carton  
 Length: 100 meters  
 Application: Airports, Educational Institutions, Stations, Schools, Office Buildings, Restaurants, Medical Facilities, Factories



### PLASTIC FLOORING PVC COVE FORMER FLOOR \*

Length: 20m/roll  
 Material: pvc resin  
 Packing: Carton  
 Compatible flooring: Homogeneous & heterogeneous vinyls in rolls



### COPPER FOIL CONDUCTIVE \*

Material: Pure Copper Foil                      Width: 10mm-20mm  
 Adhesive: Conductive Acrylic,                  Length: 50m  
 Thickness: 0.025mm



### ALUMINIUM PROFILE \*

Materials: Aluminum alloy                      color: silver  
 size: 3mm x 19mm x 0.65mm                  packing: 100pcs/pkg  
 Length: 3m/pc


- ◎ Environmentally friendly material  
We use non-toxic PVC raw materials to prevent pollution to people and the environment.
- ◎ Moisture proof  
Moisture proof and mold proof can effectively prevent the breeding of bacterial viruses.
- ◎ Exquisite and beautiful  
The perfect combination of seams makes PVC flooring more beautiful.



ADVANTAGES

## PVC FLOORING WELDING ROD

- ◎ Nice visual finish.
- ◎ Easy flooring maintenance and cleaning thanks to its round shape angle.
- ◎ Creates smooth angle under flooring for perfect hygiene and watertightness.
- ◎ 5 sizes available fulfilling every single demand and angle radius.



FEATURES

## PLASTIC FLOORING PVC COVE FORMER FLOOR

- ◎ Aesthetic appeal, clean and hygienic, high strength and stability, light weight, easy installation, Durability and longevity, Resist to rust, corrosion, moisture, fire, etc.
- ◎ Versatility and extend endless possibility for decoration.



FEATURES

## ALUMINIUM PROFILE



**QUALITY DRIVEN | WORLD SHARING**

RESPONSIBLE ONE-STOP BUILDING MATERIAL PROVIDER